


# SPACERS



## ジュラコン®スペーサー メス×メスType

材質	POM (UL94-HB)
L寸公差	60以下±0.2mm 65~100以下±0.3mm ~150まで±0.5mm
ネジ・単位	ISO規格 ・ mm


## SJA-M4



MODEL No.	L	L1
SJA-405	5	全ネジ
SJA-406	6	全ネジ
SJA-407	7	全ネジ
SJA-408	8	全ネジ
SJA-409	9	全ネジ
SJA-410	10	全ネジ
SJA-411	11	全ネジ
SJA-412	12	全ネジ
SJA-413	13	全ネジ
SJA-414	14	全ネジ
SJA-415	15	全ネジ
SJA-416	16	全ネジ
SJA-417	17	全ネジ
SJA-418	18	全ネジ
SJA-419	19	8
SJA-420	20	8
SJA-421	21	8
SJA-422	22	8
SJA-423	23	8
SJA-424	24	8
SJA-425	25	8
SJA-426	26	8
SJA-427	27	8
SJA-428	28	8
SJA-429	29	8
SJA-430	30	8
SJA-435	35	8
SJA-440	40	8
SJA-445	45	8
SJA-450	50	8
SJA-455	55	8
SJA-460	60	8


MODEL No.	L	L1
SJA-470	70	8
SJA-480	80	8
SJA-490	90	8
SJA-4100	100	8

## SJA-M2




MODEL No.	L	L1
SJA-204	4	全ネジ
SJA-205	5	全ネジ
SJA-206	6	全ネジ
SJA-207	7	全ネジ
SJA-208	8	全ネジ
SJA-209	9	全ネジ
SJA-210	10	全ネジ
SJA-211	11	全ネジ
SJA-212	12	全ネジ
SJA-213	13	5
SJA-214	14	5
SJA-215	15	5
SJA-216	16	5
SJA-217	17	5
SJA-218	18	5
SJA-219	19	5
SJA-220	20	5
SJA-225	25	5
SJA-230	30	5

## SJA-M2.6



MODEL No.	L	L1
SJA-2604	4	全ネジ
SJA-2605	5	全ネジ
SJA-2606	6	全ネジ
SJA-2607	7	全ネジ
SJA-2608	8	全ネジ
SJA-2609	9	全ネジ
SJA-2610	10	全ネジ
SJA-2611	11	全ネジ
SJA-2612	12	全ネジ
SJA-2613	13	全ネジ
SJA-2614	14	全ネジ
SJA-2615	15	全ネジ
SJA-2616	16	7
SJA-2617	17	7
SJA-2618	18	7
SJA-2619	19	7
SJA-2620	20	7
SJA-2625	25	7
SJA-2630	30	7

## SJA-M5



MODEL No.	L	L1
SJA-508	8	全ネジ
SJA-510	10	全ネジ
SJA-515	15	全ネジ
SJA-520	20	全ネジ
SJA-525	25	10
SJA-530	30	10
SJA-535	35	10
SJA-540	40	10
SJA-545	45	10
SJA-550	50	10
SJA-560	60	10
SJA-570	70	10
SJA-580	80	10
SJA-590	90	10
SJA-5100	100	10
SJA-5125	125	10
SJA-5150	150	10

## SJA-M3




MODEL No.	L	L1
SJA-304	4	全ネジ
SJA-305	5	全ネジ
SJA-306	6	全ネジ
SJA-307	7	全ネジ
SJA-307.5	7.5	全ネジ
SJA-308	8	全ネジ
SJA-309	9	全ネジ
SJA-310	10	全ネジ
SJA-311	11	全ネジ
SJA-312	12	全ネジ
SJA-312.5	12.5	7
SJA-313	13	7
SJA-314	14	7
SJA-315	15	7
SJA-316	16	7
SJA-317	17	7
SJA-317.5	17.5	7
SJA-318	18	7
SJA-319	19	7
SJA-320	20	7
SJA-321	21	7
SJA-322	22	7
SJA-323	23	7
SJA-324	24	7
SJA-325	25	7
SJA-326	26	7
SJA-327	27	7
SJA-328	28	7
SJA-329	29	7
SJA-330	30	7

MODEL No.	L	L1
SJA-331	31	7
SJA-332	32	7
SJA-333	33	7
SJA-334	34	7
SJA-335	35	7
SJA-336	36	7
SJA-337	37	7
SJA-338	38	7
SJA-339	39	7
SJA-340	40	7
SJA-345	45	7
SJA-350	50	7
SJA-360	60	7

## ジュラコン®スペーサー オス×メスType


材質(樹脂部)	POM (UL94-HB)
(金属部)	黄銅C3604BD
L寸公差	60以下±0.2mm
ネジ・単位	ISO規格 ・ mm

## SJB-M2



MODEL No.	L	L1
SJB-206	6	3
SJB-207	7	4
SJB-208	8	5
SJB-209	9	6
SJB-210	10	7
SJB-211	11	5
SJB-212	12	5
SJB-213	13	5
SJB-214	14	5
SJB-215	15	5
SJB-216	16	5
SJB-217	17	5
SJB-218	18	5
SJB-219	19	5
SJB-220	20	5
SJB-225	25	5
SJB-230	30	5

## SJB-M2.6



MODEL No.	L	L1
SJB-2606	6	2.5
SJB-2607	7	3.5
SJB-2608	8	4.5
SJB-2609	9	5.5
SJB-2610	10	6.5
SJB-2611	11	7.5
SJB-2612	12	8.5
SJB-2613	13	7
SJB-2614	14	7
SJB-2615	15	7
SJB-2616	16	7
SJB-2617	17	7
SJB-2618	18	7
SJB-2619	19	7
SJB-2620	20	7
SJB-2625	25	7
SJB-2630	30	7

# SPACERS



## ジュラコン®スパーサー オス×メスType


材質(樹脂部)	POM (UL94-HB)
(金属部)	黄銅C3604BD
L寸公差	60以下±0.2mm 65~100以下±0.3mm ~150まで±0.5mm
ネジ・単位	ISO規格・mm



## ジュラコン®スパーサー 中空Type

材質	POM (UL94-HB)
L寸公差	60以下±0.2mm
ネジ・単位	ISO規格・mm

### SJB-M3



MODEL No.	L	L1
SJB-308	8	4
SJB-309	9	5
SJB-310	10	6
SJB-311	11	7
SJB-312	12	7
SJB-312.5	12.5	7
SJB-313	13	7
SJB-314	14	7
SJB-315	15	7
SJB-316	16	7
SJB-317	17	7
SJB-317.5	17.5	7
SJB-318	18	7
SJB-319	19	7
SJB-320	20	7
SJB-322	22	7
SJB-323	23	7
SJB-324	24	7
SJB-325	25	7


MODEL No.	L	L1
SJB-326	26	7
SJB-327	27	7
SJB-328	28	7
SJB-329	29	7
SJB-330	30	7
SJB-331	31	7
SJB-332	32	7
SJB-333	33	7
SJB-334	34	7
SJB-335	35	7
SJB-336	36	7
SJB-337	37	7
SJB-338	38	7
SJB-339	39	7
SJB-340	40	7
SJB-345	45	7
SJB-350	50	7
SJB-355	55	7
SJB-360	60	7

### SJE-M2



MODEL No.	L
SJE-200.5	0.5
SJE-201	1
SJE-201.5	1.5
SJE-202	2
SJE-202.5	2.5
SJE-203	3
SJE-203.5	3.5
SJE-204	4
SJE-204.5	4.5
SJE-205	5
SJE-205.5	5.5
SJE-206	6
SJE-207	7
SJE-208	8
SJE-209	9
SJE-210	10
SJE-211	11
SJE-212	12
SJE-213	13
SJE-214	14
SJE-215	15
SJE-216	16
SJE-217	17
SJE-218	18
SJE-219	19
SJE-220	20
SJE-225	25
SJE-230	30

### SJE-M2.6



MODEL No.	L
SJE-2600.5	0.5
SJE-2601	1
SJE-2601.5	1.5
SJE-2602	2
SJE-2602.5	2.5
SJE-2603	3
SJE-2603.5	3.5
SJE-2604	4
SJE-2604.5	4.5
SJE-2605	5
SJE-2605.5	5.5
SJE-2606	6
SJE-2607	7
SJE-2608	8
SJE-2609	9
SJE-2610	10
SJE-2611	11
SJE-2612	12
SJE-2613	13
SJE-2614	14
SJE-2615	15
SJE-2616	16
SJE-2617	17
SJE-2618	18
SJE-2619	19
SJE-2620	20
SJE-2625	25
SJE-2630	30
SJE-2640	40
SJE-2650	50

### SJB-M4



MODEL No.	L	L1
SJB-410	10	5
SJB-411	11	6
SJB-412	12	7
SJB-413	13	8
SJB-414	14	8
SJB-415	15	8
SJB-416	16	8
SJB-417	17	8
SJB-418	18	8
SJB-419	19	8
SJB-420	20	8
SJB-421	21	8
SJB-422	22	8
SJB-423	23	8
SJB-424	24	8
SJB-425	25	8
SJB-426	26	8
SJB-427	27	8
SJB-428	28	8
SJB-429	29	8
SJB-430	30	8
SJB-435	35	8
SJB-440	40	8
SJB-445	45	8
SJB-450	50	8
SJB-455	55	8
SJB-460	60	8
SJB-470	70	8
SJB-480	80	8
SJB-490	90	8
SJB-4100	100	8

### SJB-M5




MODEL No.	L	L1
SJB-515	15	9
SJB-520	20	10
SJB-525	25	10
SJB-530	30	10
SJB-535	35	10
SJB-540	40	10
SJB-545	45	10
SJB-550	50	10
SJB-555	55	10
SJB-560	60	10
SJB-570	70	10
SJB-580	80	10
SJB-590	90	10
SJB-5100	100	10
SJB-5125	125	10
SJB-5150	150	10

### SJE-M3



MODEL No.	L
SJE-300.5	0.5
SJE-301	1
SJE-301.5	1.5
SJE-302	2
SJE-302.5	2.5
SJE-303	3
SJE-303.5	3.5
SJE-304	4
SJE-304.5	4.5
SJE-305	5
SJE-305.5	5.5
SJE-306	6
SJE-307	7
SJE-308	8
SJE-309	9
SJE-310	10
SJE-312	12
SJE-313	13
SJE-314	14
SJE-315	15



MODEL No.	L
SJE-316	16
SJE-317	17
SJE-318	18
SJE-319	19
SJE-320	20
SJE-325	25
SJE-330	30
SJE-335	35
SJE-340	40
SJE-350	50

## ジュラコン®スペーサー 中空Type

材質	POM (UL94-HB)
L寸公差	60以下±0.2mm
ネジ・単位	ISO規格・mm

## 快削鋼スペーサー メス×メスType

材質	快削鋼 (SUM)
メッキ	三値クロメートメッキ
L寸公差	60以下±0.1mm 65~100以下±0.2mm
ネジ・単位	ISO規格・mm

\*在庫は随時ご確認ください

### SJE-M4




### SJE-M5



MODEL No.	L
SJE-401	1
SJE-402	2
SJE-403	3
SJE-404	4
SJE-405	5
SJE-406	6
SJE-407	7
SJE-407.5	7.5
SJE-408	8
SJE-409	9
SJE-410	10
SJE-411	11
SJE-412	12
SJE-413	13
SJE-414	14
SJE-415	15
SJE-416	16
SJE-417	17
SJE-418	18
SJE-419	19
SJE-420	20
SJE-425	25
SJE-430	30
SJE-435	35
SJE-440	40
SJE-450	50

MODEL No.	L
SJE-501	1
SJE-502	2
SJE-503	3
SJE-504	4
SJE-505	5
SJE-506	6
SJE-507	7
SJE-508	8
SJE-509	9
SJE-510	10
SJE-511	11
SJE-512	12
SJE-513	13
SJE-514	14
SJE-515	15
SJE-516	16
SJE-517	17
SJE-518	18
SJE-520	20
SJE-525	25
SJE-530	30
SJE-535	35
SJE-540	40
SJE-550	50

### S6SA-M3



### SSA-M4



MODEL No.	L	L1
S6SA-305(E)	5	全ネジ
S6SA-306(E)	6	全ネジ
S6SA-307(E)	7	全ネジ
S6SA-308(E)	8	全ネジ
S6SA-309(E)	9	全ネジ
S6SA-310(E)	10	全ネジ
S6SA-312(E)	12	全ネジ
S6SA-313(E)	13	全ネジ
S6SA-315(E)	15	全ネジ
S6SA-317(E)	17	全ネジ
S6SA-318(E)	18	全ネジ
S6SA-320(E)	20	7
S6SA-325(E)	25	7
S6SA-330(E)	30	7
S6SA-335(E)	35	7
S6SA-340(E)	40	7
S6SA-345(E)	45	7
S6SA-350(E)	50	7
S6SA-355(E)	55	7
S6SA-360(E)	60	7
S6SA-370(E)	70	7
S6SA-380(E)	80	7

MODEL No.	L	L1
SSA-408(E)	8	全ネジ
SSA-410(E)	10	全ネジ
SSA-411(E)	11	全ネジ
SSA-412(E)	12	全ネジ
SSA-415(E)	15	全ネジ
SSA-418(E)	18	全ネジ
SSA-420(E)	20	8
SSA-423(E)	23	8
SSA-425(E)	25	8
SSA-426(E)	26	8
SSA-430(E)	30	8
SSA-435(E)	35	8
SSA-440(E)	40	8
SSA-445(E)	45	8
SSA-450(E)	50	8
SSA-455(E)	55	8
SSA-460(E)	60	8
SSA-470(E)	70	8
SSA-480(E)	70	8
SSA-490(E)	90	8
SSA-4100(E)	100	8

## 快削鋼スペーサー オス×メスType

材質	快削鋼 (SUM)
メッキ	三値クロメートメッキ
L寸公差	60以下±0.1mm 65~100以下±0.2mm
ネジ・単位	ISO規格・mm

\*在庫は随時ご確認ください

### S6SB-M3



### SSB-M4



MODEL No.	L	L1
S6SB-305(E)	5	2
S6SB-306(E)	6	3
S6SB-308(E)	8	4
S6SB-309(E)	9	5
S6SB-310(E)	10	6
S6SB-312(E)	12	7
S6SB-315(E)	15	7
S6SB-317(E)	17	7
S6SB-320(E)	20	7
S6SB-325(E)	25	7
S6SB-330(E)	30	7
S6SB-335(E)	35	7
S6SB-340(E)	40	7
S6SB-345(E)	45	7
S6SB-350(E)	50	7
S6SB-355(E)	55	7
S6SB-360(E)	60	7
S6SB-380(E)	80	7

MODEL No.	L	L1
SSB-408(E)	8	5
SSB-409(E)	9	6
SSB-410(E)	10	7
SSB-412(E)	12	8
SSB-415(E)	15	8
SSB-417(E)	17	8
SSB-420(E)	20	8
SSB-424(E)	24	8
SSB-425(E)	25	8
SSB-430(E)	30	8
SSB-435(E)	35	8
SSB-440(E)	40	8
SSB-445(E)	45	8
SSB-450(E)	50	8
SSB-455(E)	55	8
SSB-460(E)	60	8
SSB-470(E)	70	8
SSB-480(E)	80	8
SSB-490(E)	90	8
SSB-4100(E)	100	8